

Chainsaw Oil 2T CS200



Chainsaw Oil 2T CS200 is a quality lubricant designed for the lubrication and excellent performance in air-cooled, chainsaw and two-stroke cycle engines, it is especially formulated for use in slides of chainsaws operating over a wide range of temperatures and conditions.

Chainsaw Oil 2T CS200 is a mineral oil based product formulated to lubricate small-engine and the motorbikes of cross-country race or trial. It controls wear, provides top power output by reducing deposits and ring sticking. It also helps to extend spark plug life and corrosion.

Model	2T CS200
Density, g/ml @ 15°C	0.870
Kinematic Viscosity cSt@ (ASTM-D445) - 40°C	92.15
Kinematic Viscosity cSt@ (ASTM-D445) - 100°C	12.50
Flash Point °C	185
Pour Point Max°C	-15
Viscosity index	144

Application

Chainsaw Oil is suitable for all type of Two Stroke Engine; motorbikes, scooters, trial and quads that are used in sporty daily use and / or high performance

Standard / Performance

- Excellent control and reduction of exhaust smoke emissions.
- Reduce chain stretch, chain and bar wear.
- Lowers pre-ignition and spark-plug fouling tendency.
- Cooler running chain and bar.
- Clings to metal surfaces, Delivers unparalleled lubrication and protection.

Availability

Product is available in 1 litre and 4 litre.

Disclaimer of Liability

The information in this pds (product data sheet) was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied regarding, its correctness. Some information presented and conclusions drawn herein are from source other than direct test data on the substance itself. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. Users should make their own investigations to determine the suitability of the information or product for their particular purpose.

The conditions or method of handling, storage, use and disposal of the product are beyond your control and may be beyond our knowledge. For this and others reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.

